PAIN® 144 (2009) 346–349

PAIN®

www.elsevier.com/locate/pain

Author Index to Volume 144 (2009)

Abou hammoud, H., Simon, N., Urien, S., Riou, B., Lechat, P., Aubrun, F. Intravenous morphine titration in immediate postoperative pain management: Population kinetic–pharmacodynamic and logistic regression analysis, **144** 139
Ahn, D.K., see Park, C.-K., **144** 84
Ait-Belgnaoui, A., see Annaházi, A., **144** 209
Almeida-Torres, L., see Leite-Almeida, H., **144** 57
Almeida, A., see Leite-Almeida, H., **144** 57
Annaházi, A., Gecse, K., Dabek, M., Ait-Belgnaoui, A., Rosztóczy, A., Róka, R., Molnár, T., Theodorou, V., Wittmann, T., Bueno, L., Eutamene, H. Fecal proteases from diarrheic-IBS and ulcerative colitis patients exert opposite effect on visceral sensitivity in mice, **144** 209
Arendt-Nielsen, L., see O'Neill, S., **144** 76
Arnaud, F., see Laura, D.C., **144** 156
Atenafu, Eshetu, see Taddio, A., **144** 43
Attal, N., see Bouhassira, D., **144** 7
Attal, N., Bouhassira, D., Gautron, M., Vaillant, J.N., Mitry, E., Lepère, C., Rougier, P., Guirimand, F. Thermal hyperalgesia as a marker of oxaliplatin neurotoxicity: A prospective quantified sensory assessment study, **144** 245
Aubrun, F., see Abou hammoud, H., **144** 139
Austin, J.-S., see LaCroix-Fralish, M.L., **144** 294
Autti, H., see Vartiainen, N., **144** 200
Aziz, Q., see Paine, P., **144** 236

Baron, R., see Stengel, M., **144** 225
Behlke, M.A., see LaCroix-Fralish, M.L., **144** 294
Benedetti, F., see Colloca, L., **144** 28
Bhagwat, D., see Dworkin, R.H., **144** 35
Bickenbach, J.E., see Leonardi, M., **144** 341
Billinton, A. Human dental pulp as a source of native functional nociceptor pharmacology, **144** 227
Boroujerdi, A., see Kim, D.-s., **144** 346
Bouhassira, D., Attal, N. All in one: Is it possible to assess all dimensions of any pain with a simple questionnaire?, **144** 7
Bouhassira, D., see Attal, N., **144** 245
Brennan, T.J., see Xu, J., **144** 329
Brockmöller, J., see Lötsch, J., **144** 119
Broderick, J.E., see Junghaenel, D.U., **144** 130
Brooksbank, M. Palliative care: Where have we come from and where are we going?, **144** 233
Bueno, L., see Annaházi, A., **144** 209
Burke, L.B., see Dworkin, R.H., **144** 35

Cao, Y., Xie, Q.-F., Li, K., Light, A.R., Fu, K.-Y. Experimental occlusal interference induces long-term masticatory muscle hyperalgesia in rats, **144** 287
Carlezon, W.A., see Pereira Do Carmo, G., **144** 170
Carville, S., see Jensen, K.B., **144** 95
Cerqueira, J.J., see Leite-Almeida, H., **144** 57
Chatterji, A., see Leonardi, M., **144** 341
Chatterji, S., see Leonardi, M., **144** 341
Chen, Z.-F., see Sun, Y.-G., **144** 178
Choy, E., see Jensen, K.B., **144** 95
Ciccone, G., see Mongini, F., **144** 125
Cicero, T.J., Wong, G., Tian, Y., Lynskey, M., Todorov, A., Isenberg, K. Co-morbidity and utilization of medical services by pain patients receiving opioid medications: Data from an insurance claims database, **144** 20
Clark, D.J., see Wei, T., **144** 278
Clark, D.J., see LaCroix-Fralish, M.L., **144** 294
Clark, J.D., see Li, W.-w., **144** 303
Colloca, L., Benedetti, F. Placebo analgesia induced by social observational learning, **144** 28
Condés-Lara, M., see DeLaTorre, S., **144** 320
Coppola, G., see Di Clemente, L., **144** 156
Cowan, P., see Dworkin, R.H., **144** 35
Coyne, K.S., see Dworkin, R.H., **144** 35
Crombez, G., see Damme, S.V., **144** 342
Crombez, G., see Legrain, V., **144** 230

Dabek, M., see Annaházi, A., **144** 209
Dalton, J.A. Tailored interventions: A test of strength and value, **144** 10
Damme, S.V., see Legrain, V., **144** 230
Davis, K.D., see Legrain, V., **144** 230
DeLaTorre, S., Rojas-Piloni, G., Martínez-Lorenzana, G., Rodríguez-Jiménez, J., Villanueva, L., Condés-Lara, M. Paraventricular oxytocinergic hypothalamic prevention or interruption of long-term potentiation in dorsal horn nociceptive neurons: Electrophysiological and behavioral evidence, **144** 320
Delphine, M., see Laura, D.C., **144** 156
De Pasquo, V., see Di Clemente L., **144** 156
Diclemente, L., Coppola, G., Magis D., Gérardy, P.-Y., Fumal, A., De Pasqua, V., Di Puro, V., Schoenen, J., Nitroglycerin sensitises in healthy subjects CNS structures involved in migraine pathophysiology: Evidence froom a study of nociceptive blink reglexes and visual evoked potentials **144** 156
Di Piero, V., see Di Clemente, L., **144** 156
Dobretsov, M., see LaCroix-Fralish, M.L., **144** 294
Doehring, A., see Lötsch, J., **144** 119
Drobish, J.K., see Sun, Y.-G., **144** 178
Dworkin, R.H., Turk, D.C., Revicki, D.A., Harding, G., Coyne, K.S., Peirce-Sandner, S., Bhagwat, D., Everton, D., Burke, L.B., Cowan, P., Farrar, J.T., Hertz, S., Max, M.B., Rappaport, B.A., Melzack, R. Development and initial validation of an expanded and revised version of the Short-form McGill Pain Questionnaire (SF-MPQ-2), **144** 35

Eccleston, C., see Damme, S.V., **144** 343
Eccleston, C., see Legrain, V., **144** 230
Ernfors, P., see Staaf, S., **144** 187
Eutamene, H., see Annaházi, A., **144** 209

doi:10.1016/S0304-3959(09)00355-8

Evangelista, A., see Mongini, F., **144** 125
Everton, D., see Dworkin, R.H., **144** 35

Farrar, J.T., see Dworkin, R.H., **144** 35
Fehrenbacher, J.C., Sun, X.X., Locke, E.E., Henry, M.A., Hargreaves, K.M. Capsaicin-evoked iCGRP release from human dental pulp: A model system for the study of peripheral neuropeptide secretion in normal healthy tissue, **144** 253
Ferrero, L., see Mongini, F., **144** 125
Figueroa, K.W., see Kim, D.-s., **144** 346
Fitzgerald, M., see Hathway, G.J., **144** 110
Fitzgerald, M. When is an analgesic not an analgesic?, **144** 9
Forss, N., see Vartiainen, N., **144** 200
Fransson, P., see Jensen, K.B., **144** 95
Fu, K.-Y., see Cao, Y., **144** 287
Fumal, A., see Di Clemente, L., **144** 156

Gautron, M., see Attal, N., **144** 245
Gecse, K., see Annaházi, A., **144** 209
Geisslinger, G., see Lötsch, J., **144** 119
Gérardy, P.-Y., see Di Clemente, L., **144** 156
Gereau, R.W., see Sun, Y.-G., **144** 178
Gergov, M., see Heiskanen, T., **144** 218
Gibson, S.J., see Zheng, Z., **144** 101
Giesecke, T., see Jensen, K.B., **144** 95
Gracely, R., see Jensen, K.B., **144** 95
Gracias, N.G., see Sun, Y.-G., **144** 178
Granovsky, Y., see Pud, D., **144** 16
Graven-Nielsen, T., see O'Neill, S., **144** 76
Green, B.G., see Sikand, P., **144** 66
Gregory, L.J., see Paine, P., **144** 236
Guirimand, F., see Attal, N., **144** 245
Guo, T.-Z., see Wei, T., **144** 278
Guo, T.-Z., see Li, W.-w., **144** 303

Haakana, S., see Heiskanen, T., **144** 218
Harding, G., see Dworkin, R.H., **144** 35
Hargreaves, K.M., see Fehrenbacher, J.C., **144** 253
Hari, R., see Vartiainen, N., **144** 200
Harper, D., see Hollins, M., **144** 344
Hathway, G.J., Vega-Avelaira, D., Moss, A., Ingram, R., Fitzgerald, M. Brief, low frequency stimulation of rat peripheral C-fibres evokes prolonged microglial-induced central sensitization in adults but not in neonates, **144** 110
Heiskanen, T., Mätzke, S., Haakana, S., Gergov, M., Vuori, E., Kalso, E. Transdermal fentanyl in cachectic cancer patients, **144** 218
Helme, R.D., see Zheng, Z., **144** 101
Henry, M.A., see Fehrenbacher, J.C., **144** 253
Hertz, S., see Dworkin, R.H., **144** 35
Hlushchuk, Y., see Vartiainen, N., **144** 200
Hollins, M., Harper, D., Maixner, W. Response to the letter to the editor by Van Damme and Colleagues, **144** 344
Hong, S.-D., see Park, C.-K., **144** 84
Hu, X.-D., see Yang, X., **144** 162

Ingram, R., see Hathway, G.J., **144** 110
Ingvar, M., see Jensen, K.B., **144** 95
Isenberg, K., see Cicero, T.J., **144** 20

Jensen, K.B., Kosek, E., Petzke, F., Carville, S., Fransson, P., Marcus, H., Williams, S.C.R., Choy, E., Giesecke, T., Mainguy, Y., Gracely, R., Ingvar, M. Evidence of dysfunctional pain inhibition in Fibromyalgia reflected in rACC during provoked pain, **144** 95
Jewett, L.R., see Newton, E.G., **144** 340
Jousmäki, V., see Vartiainen, N., **144** 200
Jung, S.J., see Park, C.-K., **144** 84
Junghaenel, D.U., Broderick, J.E. Validation of the MPI patient profiles by partners and healthcare providers, **144** 130

Kallio-Laine, K., see Vartiainen, N., **144** 200
Kalso, E., see Heiskanen, T., **144** 218
Kalso, E., see Vartiainen, N., **144** 200
Katz, Joel, see Taddio, A., **144** 43
Kim, D.-s., Figueroa, K.W., Li, K.-W., Boroujerdi, A., Yolo, T., Luo, Z.D. Corrigendum to "Profiling of dynamically changed gene expression in dorsal root ganglia post peripheral nerve injury and a critical role of injury-induced glial fibrillary acidic protein in maintenance of pain behaviors" [Pain 143 (2009) 114–122], **144** 346
Kim, J.S., see Park, C.-K., **144** 84
Kim, K., see Park, C.-K., **144** 84
Kim, M.J., see Park, C.-K., **144** 84
Kingery, W.S., see Li, W.-w., **144** 303
Kingery, W.S., see Wei, T., **144** 278
Kirveskari, E., see Vartiainen, N., **144** 200
Kishor, J., see Paine, P., **144** 236
Knardahl, S., see Strøm, V., **144** 147
Kosek, E., see Jensen, K.B., **144** 95
Kress, M., Vlachova, V., **144** 1

LaCroix-Fralish, M.L., Mo, G., Smith, S.B., Sotocinal, S.G., Ritchie, J., Austin, J.-S., Melmed, K., Schorscher-Petcu, A., Laferriere, A.C., Lee, T.H., Romanovsky, D., Liao, G., Behlke, M.A., Clark, D.J., Peltz, G., Séguéla, P., Dobretsov, M., Mogil, J.S. The β_3 subunit of the Na^+,K^+-ATPase mediates variable nociceptive sensitivity in the formalin test, **144** 294
Laferriere, A.C., see LaCroix-Fralish, M.L., **144** 294
LaMotte, R.H., see Sikand, P., **144** 66
Laura, D.C., Gianluca, C., Delphine, M., Pierre-Yves, G., Arnaud, F., Victor, D.P., Vittorio, D.P., Jean, S. Nitroglycerin sensitises in healthy subjects CNS structures involved in migraine pathophysiology: Evidence from a study of nociceptive blink reflexes and visual evoked potentials, **144** 156
Lechat, P., see Abou hammoud, H., **144** 139
Lee, J.-S., see Ro, J.Y., **144** 270
Lee, T.H., see LaCroix-Fralish, M.L., **144** 294
Legg, E.D., Novejarque, A., Rice, A.S.C. The Three Ages of Rat: The influence of rodent age on affective and cognitive outcome measures in peripheral neuropathic pain, **144** 12
Legrain, V., see Damme, S.V., **144** 342
Legrain, V., Van Damme, S., Eccleston, C., Davis, K.D., Seminowicz, D.A., Crombez, G. A neurocognitive model of attention to pain: Behavioral and neuroimaging evidence, **144** 230
Leite-Almeida, H., Almeida-Torres, L., Mesquita, A.R., Pertovaara, A., Sousa, N., Cerqueira, J.J., Almeida, A. The impact of age on emotional and cognitive behaviours triggered by experimental neuropathy in rats, **144** 57
Leonardi, M., Chatterji, S., Chatterji, A., Bickenbach, J.E., A comment on What is "normal" disability? An investigation of disability in the general population, Pain 142:36-41, **144** 341
Lepère, C., see Attal, N., **144** 245
Li, K., see Cao, Y., **144** 287
Li, K.-W., see Kim, D.-s., **144** 346
Li, W.-w., see Wei, T., **144** 278
Li, W.-w., Sabsovich, I., Guo, T.-Z., Zhao, R., Kingery, W.S., Clark, J.D. The role of enhanced cutaneous IL-1β signaling in a rat tibia fracture model of complex regional pain syndrome, **144** 303
Liao, G., see LaCroix-Fralish, M.L., **144** 294
Light, A.R., see Cao, Y., **144** 287
Liu, X.-H., see Yang, X., **144** 162
Locke, E.E., see Fehrenbacher, J.C., **144** 253
Lötsch, J., Rohrbacher, M., Schmidt, H., Doehring, A., Brockmöller, J., Geisslinger, G. Can extremely low or high morphine formation from codeine be predicted prior to therapy initiation?, **144** 119
Lucas, G., see Staaf, S., **144** 187
Luo, Z.D., see Kim, D.-s., **144** 346
Lynskey, M., see Cicero, T.J., **144** 20

Magis, D., see Di Clemente, L., **144** 156
Mainguy, Y., see Jensen, K.B., **144** 95
Maixner, W., see Hollins, M., **144** 343
Manniche, C., see O'Neill, S., **144** 76
Marcus, H., see Jensen, K.B., **144** 95
Martínez-Lorenzana, G., see DeLaTorre, S., **144** 320
Mattsson, J.P., see Staaf, S., **144** 187
Mätzke, S., see Heiskanen, T., **144** 218
Max, M.B., see Dworkin, R.H., **144** 35
McMeeken, J.M., see Zheng, Z., **144** 101
McQuay, H.J., Moore, R.A. Opioids in non-cancer pain – A critical read of Cicero et al., **144** 3
Melmed, K., see LaCroix-Fralish, M.L., **144** 294
Melzack, R., see Dworkin, R.H., **144** 35
Mesquita, A.R., see Leite-Almeida, H., **144** 57
Mewes, R., Rief, W. Answer to the comment on: What is "normal" disability? An investigation of disability in the general population, **144** 342
Milani, C., see Mongini, F., **144** 125
Mitry, E., see Attal, N., **144** 245
Mo, G., see LaCroix-Fralish, M.L., **144** 294
Mogil, J.S., see LaCroix-Fralish, M.L., **144** 294
Molnár, T., see Annaházi, A., **144** 209
Mongini, F., Rota, E., Evangelista, A., Ciccone, G., Milani, C., Ugolini, A., Ferrero, L., Mongini, T., Rosato, R. Personality profiles and subjective perception of pain in head pain patients, **144** 125
Mongini, T., see Mongini, F., **144** 125
Moore, R.A., see McQuay, H.J., **144** 3
Morley, S., see Thorne, F.M., **144** 262
Moseley, G.L., Wiech, K. The effect of tactile discrimination training is enhanced when patients watch the reflected image of their unaffected limb during training, **144** 314
Moss, A., see Hathway, G.J., **144** 110
Murray, M.E., see Ward, S.E., **144** 49

Negus, S.S., see Pereira Do Carmo, G., **144** 170
Newton, E.G., Jewett, L.R., Thombs, B.D. Childhood psychosocial stressors and adult onset arthritis: A comment on Von Korff et al., **144** 340
Novejarque, A., see Legg, E.D., **144** 12

Oaklander, A.L., see Wei, T., **144** 278
Oerther, S., see Staaf, S., **144** 187
Oh, S.B., see Park, C.-K., **144** 84
O'Neill, S., Graven-Nielsen, T., Manniche, C., Arendt-Nielsen, L. Ultrasound guided, painful electrical stimulation of lumbar facet joint structures: An experimental model of acute low back pain, **144** 76

Paine, P., Kishor, J., Worthen, S.F., Gregory, L.J., Aziz, Q. Exploring relationships for visceral and somatic pain with autonomic control and personality, **144** 236
Park, C.-K., Kim, K., Jung, S.J., Kim, M.J., Ahn, D.K., Hong, S.-D., Kim, J.S., Oh, S.B. Molecular mechanism for local anesthetic action of eugenol in the rat trigeminal system, **144** 84
Peirce-Sandner, S., see Dworkin, R.H., **144** 35
Peltz, G., see LaCroix-Fralish, M.L., **144** 294
Pereira Do Carmo, G., Stevenson, G.W., Carlezon, W.A., Negus, S.S. Effects of pain- and analgesia-related manipulations on intracranial self-stimulation in rats: Further studies on pain-depressed behavior, **144** 170
Pertovaara, A., see Leite-Almeida, H., **144** 57
Peters, M.L., see Damme, S.V., **144** 343
Peterson, S.L., see Ward, S.E., **144** 49
Petzke, F., see Jensen, K.B., **144** 95
Price, D.D., see Robinson, M.E., **144** 5
Pud, D., Granovsky, Y., Yarnitsky, D. The methodology of experimentally induced diffuse noxious inhibitory control (DNIC)-like effect in humans, **144** 16

Rappaport, B.A., see Dworkin, R.H., **144** 35
Reeh, P., see Vlachova, V., **144** 1
Revicki, D.A., see Dworkin, R.H., **144** 35
Rice, A.S.C., see Legg, E.D., **144** 12
Rief, W., see Mewes, R., **144** 342
Riou, B., see Abou hammoud, H., **144** 139
Ritchie, J., see LaCroix-Fralish, M.L., **144** 294
Ro, J.Y., Lee, J.-S., Zhang, Y. Activation of TRPV1 and TRPA1 leads to muscle nociception and mechanical hyperalgesia, **144** 270
Robinson, M.E., Price, D.D. Placebo analgesia: Widening the scope of measured influences, **144** 5
Robinson, M.E., see Vowels, K.E., **144** 228
Rodríguez-Jiménez, J., see DeLaTorre, S., **144** 320
Røe, C., see Strøm, V., **144** 147
Rohrbacher, M., see Lötsch, J., **144** 119
Rojas-Piloni, G., see DeLaTorre, S., **144** 320
Róka, R., see Annaházi, A., **144** 209
Rokyta, R., see Vlachova, V., **144** 1
Romanovsky, D., see LaCroix-Fralish, M.L., **144** 294
Rosato, R., see Mongini, F., **144** 125
Rosztóczy, A., see Annaházi, A., **144** 209
Rota, E., see Mongini, F., **144** 125
Rougier, P., see Attal, N., **144** 245

Sabsovich, I., see Li, W.-w., **144** 303
Schmelz, M. How pain becomes itch, **144** 14
Schmelz, M., see Wei, T., **144** 278
Schmidt, H., see Lötsch, J., **144** 119
Schoenen, J., see Di Clemente, L., **144** 156
Schorscher-Petcu, A., see LaCroix-Fralish, M.L., **144** 294
Scott, K.M., see Von Korff, M., **144** 340
Séguéla, P., see LaCroix-Fralish, M.L., **144** 294
Seminowicz, D.A., see Legrain, V., **144** 230
Seppänen, M., see Vartiainen, N., **144** 200
Serlin, R.C., see Ward, S.E., **144** 49
Shah, V., see Taddio, A., **144** 43
Shimada, S.G., see Sikand, P., **144** 66
Sikand, P., Shimada, S.G., Green, B.G., LaMotte, R.H. Similar itch and nociceptive sensations evoked by punctate cutaneous application of capsaicin, histamine and cowhage, **144** 66
Simon, N., see Abou hammoud, H., **144** 139
Smith, S.B., see LaCroix-Fralish, M.L., **144** 294
Sotocinal, S.G., see LaCroix-Fralish, M.L., **144** 294
Sousa, N., see Leite-Almeida, H., **144** 57
Staaf, S., Oerther, S., Lucas, G., Mattsson, J.P., Ernfors, P., Differential regulation of TRP channels in a rat model of neuropathic pain, **144** 187
Stengel, M., Baron, R. Oxaliplatin-induced painful neuropathy – Flicker of hope or hopeless pain?, **144** 225
Stevenson, G.W., see Pereira Do Carmo, G., **144** 170
Strøm, V., Røe, C., Knardahl, S. Work-induced pain, trapezius blood flux, and muscle activity in workers with chronic shoulder and neck pain, **144** 147
Sun, X.X., see Fehrenbacher, J.C., **144** 253
Sun, Y.-G., Gracias, N.G., Drobish, J.K., Vasko, M.R., Gereau, R.W., Chen, Z.-F. The c-kit signaling pathway is involved in the development of persistent pain, **144** 178

Taddio, A., Shah, V., Atenafu, E., Katz, J., Influence of repeated painful procedures and sucrose analgesia on the development of hyperalgesia in newborn infants, **144** 43
Theodorou, V., see Annaházi, A., **144** 209
Thombs, B.D., see Newton, E.G., **144** 340
Thorne, F.M., Morley, S. Prospective judgments of acceptable outcomes for pain, interference and activity: Patient-determined outcome criteria, **144** 262
Tian, Y., see Cicero, T.J., **144** 20
Tillisch, K. Personality and pain: Back to the four humours?, **144** 223
Todorov, A., see Cicero, T.J., **144** 20
Turk, D.C., see Dworkin, R.H., **144** 35

Ugolini, A., see Mongini, F., **144** 125
Urien, S., see Abou hammoud, H., **144** 139

Vaillant, J.N., see Attal, N., **144** 245
Van Damme, S., Crombez, G., Wiech, K., Legrain, V., Peters, M.L., Eccleston, C. Why become more general when we can be more specific? Comment on Hollins et al. "Perceived intensity and unpleasantness of cutaneous and auditory stimuli: An evaluation of the generalized hypervigilance hypothesis" [Pain 2009;141:215–221], and on Rollman "Perspectives on hypervigilance" [Pain 2009;141:183–184], **144** 343
Vartiainen, N., Kallio-Laine, K., Hlushchuk, Y., Kirveskari, E., Seppänen, M., Autti, H., Jousmäki, V., Forss, N., Kalso, E., Hari, R. Changes in brain function and morphology in patients with recurring herpes simplex virus infections and chronic pain, **144** 200
Vasko, M.R., see Sun, Y.-G., **144** 178
Vega-Avelaira, D., see Hathway, G.J., **144** 110
Villanueva, L., see DeLaTorre, S., **144** 320
Vlachova, V., Rokyta, R., Reeh, P.W., Kress, M., Obituary: Ladislav Vyklický (1925-2008) **144** 1
Von Korff, M., Scott, K.M. The authors' response, **144** 340
Vowels, K.E., Robinson, M.E., Progressing Towards Acceptable Treatment Outcomes, **144** 228
Vuori, E., see Heiskanen, T., **144** 218

Wang, K.K., see Ward, S.E., **144** 49
Wang, L., see Wei, T., **144** 278
Ward, S.E., Wang, K.K., Serlin, R.C., Peterson, S.L., Murray, M.E., A randomized trial of a tailored barriers intervention for Cancer Information Service (CIS) callers in pain, **144** 49
Wei, T., Li, W.-w., Guo, T.-Z., Zhao, R., Wang, L., Clark, D.J., Oaklander, A.L., Schmelz, M., Kingery, W.S. Post-junctional facilitation of Substance P signaling in a tibia fracture rat model of complex regional pain syndrome type I, **144** 278
Wiech, K., see Moseley, G.L., **144** 314
Wiech, K., see Damme, S.V., **144** 342
Williams, S.C.R., see Jensen, K.B., **144** 95
Wittmann, T., see Annaházi, A., **144** 209
Wong, G., see Cicero, T.J., **144** 20
Worthen, S.F., see Paine, P., **144** 236

Xie, Q.-F., see Cao, Y., **144** 287
Xie, Q.-J., see Yang, X., **144** 162
Xu, J., Brennan, T.J. Comparison of skin incision vs.skin plus deep tissue incision on ongoing pain and spontaneous activity in dorsal horn neurons, **144** 329

Yang, H.-B., see Yang, X., **144** 162
Yang, X., Yang, H.-B., Xie, Q.-J., Liu, X.-H., Hu, X.-D. Peripheral inflammation increased the synaptic expression of NMDA receptors in spinal dorsal horn, **144** 162
Yarnitsky, D., see Pud, D., **144** 16
Yolo, T., see Kim, D.-s., **144** 346

Zhang, Y., see Ro, J.Y., **144** 270
Zhao, R., see Wei, T., **144** 278
Zhao, R., see Li, W.-w., **144** 303
Zheng, Z., Gibson, S.J., Helme, R.D., McMeeken, J.M. The effect of local anaesthetic on age-related capsaicin-induced mechanical hyperalgesia – A randomised, controlled study, **144** 101

PAIN® 144 (2009) 350–355

PAIN®

www.elsevier.com/locate/pain

Subject Index to Volume 144 (2009)

Absorption
Transdermal fentanyl in cachectic cancer patients, **144**, 218
Action potentials
Molecular mechanism for local anesthetic action of eugenol in the rat trigeminal system, **144**, 84
Acute low back pain
Ultrasound guided, painful electrical stimulation of lumbar facet joint structures: An experimental model of acute low back pain, **144**, 76
Adaptation
Validation of the MPI patient profiles by partners and healthcare providers, **144**, 130
Ageing
The effect of local anaesthetic on age-related capsaicin-induced mechanical hyperalgesia – A randomised, controlled study, **144**, 101
Aging
The impact of age on emotional and cognitive behaviours triggered by experimental neuropathy in rats, **144**, 57
Analgesia
Capsaicin-evoked iCGRP release from human dental pulp: A model system for the study of peripheral neuropeptide secretion in normal healthy tissue, **144**, 253
Analgesia
Effects of pain- and analgesia-related manipulations on intracranial self-stimulation in rats: Further studies on pain-depressed behavior, **144**, 170
Analgesia
Paraventricular oxytocinergic hypothalamic prevention or interruption of long-term potentiation in dorsal horn nociceptive neurons: Electrophysiological and behavioral evidence, **144**, 320
Animal model
Experimental occlusal interference induces long-term masticatory muscle hyperalgesia in rats, **144**, 287
Animal model
The impact of age on emotional and cognitive behaviours triggered by experimental neuropathy in rats, **144**, 57
Assessment
Development and initial validation of an expanded and revised version of the Short-form McGill Pain Questionnaire (SF-MPQ-2), **144**, 35
Assessment
Validation of the MPI patient profiles by partners and healthcare providers, **144**, 130
Autonomic
Exploring relationships for visceral and somatic pain with autonomic control and personality, **144**, 236
Autonomic
Personality and pain: Back to the four humours?, **144**, 223
Behavior
Activation of TRPV1 and TRPA1 leads to muscle nociception and mechanical hyperalgesia, **144**, 270
Blood flux
Work-induced pain, trapezius blood flux, and muscle activity in workers with chronic shoulder and neck pain, **144**, 147
Brainstem
Exploring relationships for visceral and somatic pain with autonomic control and personality, **144**, 236
Brief pain inventory
Prospective judgments of acceptable outcomes for pain, interference and activity: Patient-determined outcome criteria, **144**, 262
c-kit
The c-kit signaling pathway is involved in the development of persistent pain, **144**, 178
Cachexia
Transdermal fentanyl in cachectic cancer patients, **144**, 218
Calcitonin gene-related peptide
Capsaicin-evoked iCGRP release from human dental pulp: A model system for the study of peripheral neuropeptide secretion in normal healthy tissue, **144**, 253
Calcitonin gene-related peptide
Post-junctional facilitation of Substance P signaling in a tibia fracture rat model of complex regional pain syndrome type I, **144**, 278
cAMP-dependent protein kinase
Peripheral inflammation increased the synaptic expression of NMDA receptors in spinal dorsal horn, **144**, 162
Cancer pain
A randomized trial of a tailored barriers intervention for Cancer Information Service (CIS) callers in pain, **144**, 49
Cancer pain
Transdermal fentanyl in cachectic cancer patients, **144**, 218
Capsaicin
Capsaicin-evoked iCGRP release from human dental pulp: A model system for the study of peripheral neuropeptide secretion in normal healthy tissue, **144**, 253
Capsaicin
Similar itch and nociceptive sensations evoked by punctate cutaneous application of capsaicin, histamine and cowhage, **144**, 66
Capsaicin
The effect of local anaesthetic on age-related capsaicin-induced mechanical hyperalgesia – A randomised, controlled study, **144**, 101
Cathepsin G
Fecal proteases from diarrheic-IBS and ulcerative colitis patients exert opposite effect on visceral sensitivity in mice, **144**, 209

doi:10.1016/S0304-3959(09)00356-X

CCI
The c-kit signaling pathway is involved in the development of persistent pain, **144**, 178
Central pain
Changes in brain function and morphology in patients with recurring herpes simplex virus infections and chronic pain, **144**, 200
Central sensitization
Brief, low frequency stimulation of rat peripheral C-fibres evokes prolonged microglial-induced central sensitization in adults but not in neonates, **144**, 110
Central sensitization
Comparison of skin incision vs. skin plus deep tissue incision on ongoing pain and spontaneous activity in dorsal horn neurons, **144**, 329
Central sensitization
Experimental occlusal interference induces long-term masticatory muscle hyperalgesia in rats, **144**, 287
Central sensitization
Ultrasound guided, painful electrical stimulation of lumbar facet joint structures: An experimental model of acute low back pain, **144**, 76
Chronic pain
Prospective judgments of acceptable outcomes for pain, interference and activity: Patient-determined outcome criteria, **144**, 262
Cisplatin
Thermal hyperalgesia as a marker of oxaliplatin neurotoxicity: A prospective quantified sensory assessment study, **144**, 245
Clinical trial
Capsaicin-evoked iCGRP release from human dental pulp: A model system for the study of peripheral neuropeptide secretion in normal healthy tissue, **144**, 253
Clinically significant change
Prospective judgments of acceptable outcomes for pain, interference and activity: Patient-determined outcome criteria, **144**, 262
Co-activation
Exploring relationships for visceral and somatic pain with autonomic control and personality, **144**, 236
Codeine
Can extremely low or high morphine formation from codeine be predicted prior to therapy initiation?, **144**, 119
Cognition
The impact of age on emotional and cognitive behaviours triggered by experimental neuropathy in rats, **144**, 57
Cold hyperalgesia
Thermal hyperalgesia as a marker of oxaliplatin neurotoxicity: A prospective quantified sensory assessment study, **144**, 245
Complex regional pain syndrome
Post-junctional facilitation of Substance P signaling in a tibia fracture rat model of complex regional pain syndrome type I, **144**, 278
Complex regional pain syndrome
The role of enhanced cutaneous IL-1β signaling in a rat tibia fracture model of complex regional pain syndrome, **144**, 303
Conditioning
Placebo analgesia induced by social observational learning, **144**, 28
Coping
Validation of the MPI patient profiles by partners and healthcare providers, **144**, 130
Cowhage
Similar itch and nociceptive sensations evoked by punctate cutaneous application of capsaicin, histamine and cowhage, **144**, 66
Craniofacial
Activation of TRPV1 and TRPA1 leads to muscle nociception and mechanical hyperalgesia, **144**, 270
CRPS
The effect of tactile discrimination training is enhanced when patients watch the reflected image of their unaffected limb during training, **144**, 314
Cytokines
The role of enhanced cutaneous IL-1β signaling in a rat tibia fracture model of complex regional pain syndrome, **144**, 303
Dental pulp
Capsaicin-evoked iCGRP release from human dental pulp: A model system for the study of peripheral neuropeptide secretion in normal healthy tissue, **144**, 253
Descending inhibition
Evidence of dysfunctional pain inhibition in Fibromyalgia reflected in rACC during provoked pain, **144**, 95
DRG
The c-kit signaling pathway is involved in the development of persistent pain, **144**, 178
Emotional behaviours
The impact of age on emotional and cognitive behaviours triggered by experimental neuropathy in rats, **144**, 57
Empathy
Placebo analgesia induced by social observational learning, **144**, 28
Endogenous oxytocin pain control
Paraventricular oxytocinergic hypothalamic prevention or interruption of long-term potentiation in dorsal horn nociceptive neurons: Electrophysiological and behavioral evidence, **144**, 320
Eugenol
Molecular mechanism for local anesthetic action of eugenol in the rat trigeminal system, **144**, 84
Evoked potentials
Nitroglycerin sensitises in healthy subjects CNS structures involved in migraine pathophysiology: Evidence from a study of nociceptive blink reflexes and visual evoked potentials, **144**, 156
Exocytosis
Capsaicin-evoked iCGRP release from human dental pulp: A model system for the study of peripheral neuropeptide secretion in normal healthy tissue, **144**, 253
Expectation
Placebo analgesia induced by social observational learning, **144**, 28
Experimental neuropathy
The impact of age on emotional and cognitive behaviours triggered by experimental neuropathy in rats, **144**, 57
Experimental pain
Ultrasound guided, painful electrical stimulation of lumbar facet joint structures: An experimental model of acute low back pain, **144**, 76
Facet joint
Ultrasound guided, painful electrical stimulation of lumbar facet joint structures: An experimental model of acute low back pain, **144**, 76
Fibromyalgia
Evidence of dysfunctional pain inhibition in Fibromyalgia reflected in rACC during provoked pain, **144**, 95
fMRI
Evidence of dysfunctional pain inhibition in Fibromyalgia reflected in rACC during provoked pain, **144**, 95
Formalin
The β_3 subunit of the Na^+,K^+-ATPase mediates variable nociceptive sensitivity in the formalin test, **144**, 294
Formalin test
The c-kit signaling pathway is involved in the development of persistent pain, **144**, 178
Fracture
Post-junctional facilitation of Substance P signaling in a tibia fracture rat model of complex regional pain syndrome type I, **144**, 278

Fracture
The role of enhanced cutaneous IL-1β signaling in a rat tibia fracture model of complex regional pain syndrome, **144**, 303
Functional magnetic resonance imaging (fMRI)
Changes in brain function and morphology in patients with recurring herpes simplex virus infections and chronic pain, **144**, 200
Gene expression
Differential regulation of TRP channels in a rat model of neuropathic pain, **144**, 187
Gene mapping
The β_3 subunit of the Na^+,K^+-ATPase mediates variable nociceptive sensitivity in the formalin test, **144**, 294
Generalized hyperalgesia
Ultrasound guided, painful electrical stimulation of lumbar facet joint structures: An experimental model of acute low back pain, **144**, 76
Genetics
The β_3 subunit of the Na^+,K^+-ATPase mediates variable nociceptive sensitivity in the formalin test, **144**, 294
Genotype–phenotype assignment
Can extremely low or high morphine formation from codeine be predicted prior to therapy initiation?, **144**, 119
Headache
Personality profiles and subjective perception of pain in head pain patients, **144**, 125
Herpes simplex virus (HSV)
Changes in brain function and morphology in patients with recurring herpes simplex virus infections and chronic pain, **144**, 200
Histamine
Similar itch and nociceptive sensations evoked by punctate cutaneous application of capsaicin, histamine and cowhage, **144**, 66
Human
Capsaicin-evoked iCGRP release from human dental pulp: A model system for the study of peripheral neuropeptide secretion in normal healthy tissue, **144**, 253
Human
The effect of local anaesthetic on age-related capsaicin-induced mechanical hyperalgesia – A randomised, controlled study, **144**, 101
Hyperalgesia
Comparison of skin incision vs. skin plus deep tissue incision on ongoing pain and spontaneous activity in dorsal horn neurons, **144**, 329
Hyperalgesia
Influence of repeated painful procedures and sucrose analgesia on the development of hyperalgesia in newborn infants, **144**, 43
Infant
Influence of repeated painful procedures and sucrose analgesia on the development of hyperalgesia in newborn infants, **144**, 43
Inflammation
Peripheral inflammation increased the synaptic expression of NMDA receptors in spinal dorsal horn, **144**, 162
Intracranial self-stimulation
Effects of pain- and analgesia-related manipulations on intracranial self-stimulation in rats: Further studies on pain-depressed behavior, **144**, 170
Irritable bowel syndrome
Fecal proteases from diarrheic-IBS and ulcerative colitis patients exert opposite effect on visceral sensitivity in mice, **144**, 209
Itch
Similar itch and nociceptive sensations evoked by punctate cutaneous application of capsaicin, histamine and cowhage, **144**, 66
K-PD
Intravenous morphine titration in immediate postoperative pain management: Population kinetic–pharmacodynamic and logistic regression analysis, **144**, 139
Local anaesthesia
The effect of local anaesthetic on age-related capsaicin-induced mechanical hyperalgesia – A randomised, controlled study, **144**, 101
Mechanical hyperalgesia
Experimental occlusal interference induces long-term masticatory muscle hyperalgesia in rats, **144**, 287
Microdialysis
Post-junctional facilitation of Substance P signaling in a tibia fracture rat model of complex regional pain syndrome type I, **144**, 278
Microglia
Brief, low frequency stimulation of rat peripheral C-fibres evokes prolonged microglial-induced central sensitization in adults but not in neonates, **144**, 110
Migraine
Nitroglycerin sensitises in healthy subjects CNS structures involved in migraine pathophysiology: Evidence from a study of nociceptive blink reflexes and visual evoked potentials, **144**, 156
MMPI
Personality profiles and subjective perception of pain in head pain patients, **144**, 125
MOR
Capsaicin-evoked iCGRP release from human dental pulp: A model system for the study of peripheral neuropeptide secretion in normal healthy tissue, **144**, 253
Morphine
Capsaicin-evoked iCGRP release from human dental pulp: A model system for the study of peripheral neuropeptide secretion in normal healthy tissue, **144**, 253
Morphine
Effects of pain- and analgesia-related manipulations on intracranial self-stimulation in rats: Further studies on pain-depressed behavior, **144**, 170
Morphine titration
Intravenous morphine titration in immediate postoperative pain management: Population kinetic–pharmacodynamic and logistic regression analysis, **144**, 139
MPQ
Personality profiles and subjective perception of pain in head pain patients, **144**, 125
mRNA
Differential regulation of TRP channels in a rat model of neuropathic pain, **144**, 187
Multidimensional pain inventory
Prospective judgments of acceptable outcomes for pain, interference and activity: Patient-determined outcome criteria, **144**, 262
Muscle activity
Work-induced pain, trapezius blood flux, and muscle activity in workers with chronic shoulder and neck pain, **144**, 147
Muscle nociceptors
Activation of TRPV1 and TRPA1 leads to muscle nociception and mechanical hyperalgesia, **144**, 270
Muscle pain
Experimental occlusal interference induces long-term masticatory muscle hyperalgesia in rats, **144**, 287
Neonate
Brief, low frequency stimulation of rat peripheral C-fibres evokes prolonged microglial-induced central sensitization in adults but not in neonates, **144**, 110
Nerve growth factor
The role of enhanced cutaneous IL-1β signaling in a rat tibia fracture model of complex regional pain syndrome, **144**, 303

Nerve injury
Differential regulation of TRP channels in a rat model of neuropathic pain, **144**, 187
Neurogenic inflammation
Post-junctional facilitation of Substance P signaling in a tibia fracture rat model of complex regional pain syndrome type I, **144**, 278
Neuropathic pain
Development and initial validation of an expanded and revised version of the Short-form McGill Pain Questionnaire (SF-MPQ-2), **144**, 35
Neuropathic pain
Differential regulation of TRP channels in a rat model of neuropathic pain, **144**, 187
Neuropathic pain
The impact of age on emotional and cognitive behaviours triggered by experimental neuropathy in rats, **144**, 57
Neuropathic pain symptom inventory
Thermal hyperalgesia as a marker of oxaliplatin neurotoxicity: A prospective quantified sensory assessment study, **144**, 245
Neuropathy
Thermal hyperalgesia as a marker of oxaliplatin neurotoxicity: A prospective quantified sensory assessment study, **144**, 245
Neuropeptide release
Capsaicin-evoked iCGRP release from human dental pulp: A model system for the study of peripheral neuropeptide secretion in normal healthy tissue, **144**, 253
Neuroticism
Exploring relationships for visceral and somatic pain with autonomic control and personality, **144**, 236
Nitroglycerin
Nitroglycerin sensitises in healthy subjects CNS structures involved in migraine pathophysiology: Evidence from a study of nociceptive blink reflexes and visual evoked potentials, **144**, 156
NMDA receptor
Peripheral inflammation increased the synaptic expression of NMDA receptors in spinal dorsal horn, **144**, 162
Nociception
Paraventricular oxytocinergic hypothalamic prevention or interruption of long-term potentiation in dorsal horn nociceptive neurons: Electrophysiological and behavioral evidence, **144**, 320
Nociception
Similar itch and nociceptive sensations evoked by punctate cutaneous application of capsaicin, histamine and cowhage, **144**, 66
Nociception
The β_3 subunit of the Na^+,K^+-ATPase mediates variable nociceptive sensitivity in the formalin test, **144**, 294
Nociceptive blink reflex
Nitroglycerin sensitises in healthy subjects CNS structures involved in migraine pathophysiology: Evidence from a study of nociceptive blink reflexes and visual evoked potentials, **144**, 156
Non-neuropathic pain
Development and initial validation of an expanded and revised version of the Short-form McGill Pain Questionnaire (SF-MPQ-2), **144**, 35
Obituary
Ladislav Vyklický (1925–2008), **144**, 1
Occlusal interference
Experimental occlusal interference induces long-term masticatory muscle hyperalgesia in rats, **144**, 287
Opioid
Transdermal fentanyl in cachectic cancer patients, **144**, 218
Opioid abuse
Co-morbidity and utilization of medical services by pain patients receiving opioid medications: Data from an insurance claims database, **144**, 20
Opioid dependence
Co-morbidity and utilization of medical services by pain patients receiving opioid medications: Data from an insurance claims database, **144**, 20
Outcome measures
Development and initial validation of an expanded and revised version of the Short-form McGill Pain Questionnaire (SF-MPQ-2), **144**, 35
Oxaliplatin
Thermal hyperalgesia as a marker of oxaliplatin neurotoxicity: A prospective quantified sensory assessment study, **144**, 245
PACU
Intravenous morphine titration in immediate postoperative pain management: Population kinetic–pharmacodynamic and logistic regression analysis, **144**, 139
Pain
Capsaicin-evoked iCGRP release from human dental pulp: A model system for the study of peripheral neuropeptide secretion in normal healthy tissue, **144**, 253
Pain
Development and initial validation of an expanded and revised version of the Short-form McGill Pain Questionnaire (SF-MPQ-2), **144**, 35
Pain
Effects of pain- and analgesia-related manipulations on intracranial self-stimulation in rats: Further studies on pain-depressed behavior, **144**, 170
Pain
Influence of repeated painful procedures and sucrose analgesia on the development of hyperalgesia in newborn infants, **144**, 43
Pain
Personality profiles and subjective perception of pain in head pain patients, **144**, 125
Pain
Validation of the MPI patient profiles by partners and healthcare providers, **144**, 130
Pain quality
Development and initial validation of an expanded and revised version of the Short-form McGill Pain Questionnaire (SF-MPQ-2), **144**, 35
Painful diabetic peripheral neuropathy
Development and initial validation of an expanded and revised version of the Short-form McGill Pain Questionnaire (SF-MPQ-2), **144**, 35
Patient education
A randomized trial of a tailored barriers intervention for Cancer Information Service (CIS) callers in pain, **144**, 49
Persistent pain
The c-kit signaling pathway is involved in the development of persistent pain, **144**, 178
Personality
Exploring relationships for visceral and somatic pain with autonomic control and personality, **144**, 236
Personality
Personality and pain: Back to the four humours? **144**, 223
Personality
Personality profiles and subjective perception of pain in head pain patients, **144**, 125
Pharmacogenetics
Can extremely low or high morphine formation from codeine be predicted prior to therapy initiation? **144**, 119
Physiotherapy
The effect of tactile discrimination training is enhanced when patients watch the reflected image of their unaffected limb during training, **144**, 314
Placebo effect
Placebo analgesia induced by social observational learning, **144**, 28

Postoperative pain
Comparison of skin incision vs. skin plus deep tissue incision on ongoing pain and spontaneous activity in dorsal horn neurons, **144**, 329
Postoperative pain
Intravenous morphine titration in immediate postoperative pain management: Population kinetic–pharmacodynamic and logistic regression analysis, **144**, 139
Proteinase-activated receptor
Fecal proteases from diarrheic-IBS and ulcerative colitis patients exert opposite effect on visceral sensitivity in mice, **144**, 209
Proxy
Validation of the MPI patient profiles by partners and healthcare providers, **144**, 130
Psychophysics
The effect of local anaesthetic on age-related capsaicin-induced mechanical hyperalgesia – A randomised, controlled study, **144**, 101
Punctate hyperalgesia
The effect of local anaesthetic on age-related capsaicin-induced mechanical hyperalgesia – A randomised, controlled study, **144**, 101
Quantitative sensory measures
Ultrasound guided, painful electrical stimulation of lumbar facet joint structures: An experimental model of acute low back pain, **144**, 76
Quantitative sensory testing
Thermal hyperalgesia as a marker of oxaliplatin neurotoxicity: A prospective quantified sensory assessment study, **144**, 245
rACC
Evidence of dysfunctional pain inhibition in Fibromyalgia reflected in rACC during provoked pain, **144**, 95
Rat
Activation of TRPV1 and TRPA1 leads to muscle nociception and mechanical hyperalgesia, **144**, 270
Rat
Brief, low frequency stimulation of rat peripheral C-fibres evokes prolonged microglial-induced central sensitization in adults but not in neonates, **144**, 110
Rehabilitation
The effect of tactile discrimination training is enhanced when patients watch the reflected image of their unaffected limb during training, **144**, 314
RSD
The effect of tactile discrimination training is enhanced when patients watch the reflected image of their unaffected limb during training, **144**, 314
Sciatic
Brief, low frequency stimulation of rat peripheral C-fibres evokes prolonged microglial-induced central sensitization in adults but not in neonates, **144**, 110
Sensation
The effect of tactile discrimination training is enhanced when patients watch the reflected image of their unaffected limb during training, **144**, 314
Sensory neuron
Capsaicin-evoked iCGRP release from human dental pulp: A model system for the study of peripheral neuropeptide secretion in normal healthy tissue, **144**, 253
Short-form McGill Pain Questionnaire
Development and initial validation of an expanded and revised version of the Short-form McGill Pain Questionnaire (SF-MPQ-2), **144**, 35
Shoulder and neck pain
Work-induced pain, trapezius blood flux, and muscle activity in workers with chronic shoulder and neck pain, **144**, 147
Social observational learning
Placebo analgesia induced by social observational learning, **144**, 28
Sodium–potassium pump
The β_3 subunit of the Na^+,K^+-ATPase mediates variable nociceptive sensitivity in the formalin test, **144**, 294
Somatic pain
Personality and pain: Back to the four humours? **144**, 223
Spinal cord
Paraventricular oxytocinergic hypothalamic prevention or interruption of long-term potentiation in dorsal horn nociceptive neurons: Electrophysiological and behavioral evidence, **144**, 320
Spinal cord
The c-kit signaling pathway is involved in the development of persistent pain, **144**, 178
Spinal dorsal horn
Peripheral inflammation increased the synaptic expression of NMDA receptors in spinal dorsal horn, **144**, 162
Stroking hyperalgesia
The effect of local anaesthetic on age-related capsaicin-induced mechanical hyperalgesia – A randomised, controlled study, **144**, 101
Substance P
Post-junctional facilitation of Substance P signaling in a tibia fracture rat model of complex regional pain syndrome type I, **144**, 278
Sucrose
Influence of repeated painful procedures and sucrose analgesia on the development of hyperalgesia in newborn infants, **144**, 43
Sudeck's atrophy
The effect of tactile discrimination training is enhanced when patients watch the reflected image of their unaffected limb during training, **144**, 314
Tailored intervention
A randomized trial of a tailored barriers intervention for Cancer Information Service (CIS) callers in pain, **144**, 49
Transdermal fentanyl
Transdermal fentanyl in cachectic cancer patients, **144**, 218
Transient receptor potential vanilloid 1
Molecular mechanism for local anesthetic action of eugenol in the rat trigeminal system, **144**, 84
Translational studies
Capsaicin-evoked iCGRP release from human dental pulp: A model system for the study of peripheral neuropeptide secretion in normal healthy tissue, **144**, 253
Trapezius
Work-induced pain, trapezius blood flux, and muscle activity in workers with chronic shoulder and neck pain, **144**, 147
Trigeminal ganglia
Activation of TRPV1 and TRPA1 leads to muscle nociception and mechanical hyperalgesia, **144**, 270
Trigeminal ganglion neurons
Molecular mechanism for local anesthetic action of eugenol in the rat trigeminal system, **144**, 84
TRP channel
Differential regulation of TRP channels in a rat model of neuropathic pain, **144**, 187
TRPV1
Capsaicin-evoked iCGRP release from human dental pulp: A model system for the study of peripheral neuropeptide secretion in normal healthy tissue, **144**, 253
Tyrosine kinase receptor
The c-kit signaling pathway is involved in the development of persistent pain, **144**, 178
Ulcerative colitis
Fecal proteases from diarrheic-IBS and ulcerative colitis patients exert opposite effect on visceral sensitivity in mice, **144**, 209
Vagus
Exploring relationships for visceral and somatic pain with autonomic control and personality, **144**, 236

Validity
Validation of the MPI patient profiles by partners and healthcare providers, **144**, 130
Venipuncture
Influence of repeated painful procedures and sucrose analgesia on the development of hyperalgesia in newborn infants, **144**, 43
Verbal suggestion
Placebo analgesia induced by social observational learning, **144**, 28
Visceral pain
Exploring relationships for visceral and somatic pain with autonomic control and personality, **144**, 236
Visceral pain
Fecal proteases from diarrheic-IBS and ulcerative colitis patients exert opposite effect on visceral sensitivity in mice, **144**, 209
Visceral pain
Personality and pain: Back to the four humours?, **144**, 223
Voltage-gated sodium channels
Molecular mechanism for local anesthetic action of eugenol in the rat trigeminal system, **144**, 84
Voxel-based morphometry (VBM)
Changes in brain function and morphology in patients with recurring herpes simplex virus infections and chronic pain, **144**, 200
Wide dynamic range
Comparison of skin incision vs. skin plus deep tissue incision on ongoing pain and spontaneous activity in dorsal horn neurons, **144**, 329
Zygapophyseal joint
Ultrasound guided, painful electrical stimulation of lumbar facet joint structures: An experimental model of acute low back pain, **144**, 76

PAIN® 144 (2009) 356–358

PAIN®

www.elsevier.com/locate/pain

Contents to Volume 144 (2009)

Numbers 1–2 – July 2009

OBITUARY

Obituary: Ladislav Vyklický (1925–2008)
V. Vlachova, R. Rokyta, P.W. Reeh, M. Kress (Czech Republic, Germany, Austria) 1

EDITORIALS

Opioids in non-cancer pain – A critical read of Cicero et al.
H.J. McQuay, R.A. Moore (UK) 3
Placebo analgesia: Widening the scope of measured influences
M.E. Robinson, D.D. Price (USA) 5
All in one: Is it possible to assess all dimensions of any pain with a simple questionnaire?
D. Bouhassira, N. Attal (France) 7
When is an analgesic not an analgesic?
M. Fitzgerald (UK) 9
Tailored interventions: A test of strength and value
J.A. Dalton (USA) 10
The Three Ages of Rat: The influence of rodent age on affective and cognitive outcome measures in peripheral neuropathic pain
E.D. Legg, A. Novejarque, A.S.C. Rice (UK) 12
How pain becomes itch
M. Schmelz (Germany) 14

TOPICAL REVIEW

The methodology of experimentally induced diffuse noxious inhibitory control (DNIC)-like effect in humans
D. Pud, Y. Granovsky, D. Yarnitsky (Israel) 16

RESEARCH PAPERS

Co-morbidity and utilization of medical services by pain patients receiving opioid medications: Data from an insurance claims database*
T.J. Cicero, G. Wong, Y. Tian, M. Lynskey, A. Todorov, K. Isenberg (USA) 20
Placebo analgesia induced by social observational learning*
L. Colloca, F. Benedetti (Italy) 28
Development and initial validation of an expanded and revised version of the Short-form McGill Pain Questionnaire (SF-MPQ-2)*
R.H. Dworkin, D.C. Turk, D.A. Revicki, G. Harding, K.S. Coyne, S. Peirce-Sandner, D. Bhagwat, D. Everton, L.B. Burke, P. Cowan, J.T. Farrar, S. Hertz, M.B. Max, B.A. Rappaport, R. Melzack (USA, Canada) 35
Influence of repeated painful procedures and sucrose analgesia on the development of hyperalgesia in newborn infants*
A. Taddio, V. Shah, E. Atenafu, J. Katz (Canada) 43
A randomized trial of a tailored barriers intervention for Cancer Information Service (CIS) callers in pain*
S.E. Ward, K.K. Wang, R.C. Serlin, S.L. Peterson, M.E. Murray (USA) 49
The impact of age on emotional and cognitive behaviours triggered by experimental neuropathy in rats*
H. Leite-Almeida, L. Almeida-Torres, A.R. Mesquita, A. Pertovaara, N. Sousa, J.J. Cerqueira, A. Almeida (Portugal, Finland) 57
Similar itch and nociceptive sensations evoked by punctate cutaneous application of capsaicin, histamine and cowhage*
P. Sikand, S.G. Shimada, B.G. Green, R.H. LaMotte (USA) 66
Ultrasound guided, painful electrical stimulation of lumbar facet joint structures: An experimental model of acute low back pain
S. O'Neill, T. Graven-Nielsen, C. Manniche, L. Arendt-Nielsen (Denmark) 76
Molecular mechanism for local anesthetic action of eugenol in the rat trigeminal system
C.-K. Park, K. Kim, S.J. Jung, M.J. Kim, D.K. Ahn, S.-D. Hong, J.S. Kim, S.B. Oh (Republic of Korea) 84
Evidence of dysfunctional pain inhibition in Fibromyalgia reflected in rACC during provoked pain
K.B. Jensen, E. Kosek, F. Petzke, S. Carville, P. Fransson, H. Marcus, S.C.R. Williams, E. Choy, T. Giesecke, Y. Mainguy, R. Gracely, M. Ingvar (Sweden, Germany, UK, France, USA) 95
The effect of local anaesthetic on age-related capsaicin-induced mechanical hyperalgesia – A randomised, controlled study
Z. Zheng, S.J. Gibson, R.D. Helme, J.M. McMeeken (Australia) 101

doi:10.1016/S0304-3959(09)00357-1

Brief, low frequency stimulation of rat peripheral C-fibres evokes prolonged microglial-induced central sensitization in adults but not in neonates
G.J. Hathway, D. Vega-Avelaira, A. Moss, R. Ingram, M. Fitzgerald (UK) 110
Can extremely low or high morphine formation from codeine be predicted prior to therapy initiation?
J. Lötsch, M. Rohrbacher, H. Schmidt, A. Doehring, J. Brockmöller, G. Geisslinger (Germany) 119
Personality profiles and subjective perception of pain in head pain patients
F. Mongini, E. Rota, A. Evangelista, G. Ciccone, C. Milani, A. Ugolini, L. Ferrero, T. Mongini, R. Rosato (Italy) 125
Validation of the MPI patient profiles by partners and healthcare providers
D.U. Junghaenel, J.E. Broderick (USA) 130
Intravenous morphine titration in immediate postoperative pain management: Population kinetic–pharmacodynamic and logistic regression analysis
H. Abou hammoud, N. Simon, S. Urien, B. Riou, P. Lechat, F. Aubrun (France) 139
Work-induced pain, trapezius blood flux, and muscle activity in workers with chronic shoulder and neck pain
V. Strøm, C. Røe, S. Knardahl (Norway) 147
Nitroglycerin sensitises in healthy subjects CNS structures involved in migraine pathophysiology: Evidence from a study of nociceptive blink reflexes and visual evoked potentials
L. Di Clemente, G. Coppola, D. Magis, P.-Y. Gérardy, A. Fumal, V. De Pasqua, V. Di Piero, J. Schoenen (Belgium, Italy) 156
Peripheral inflammation increased the synaptic expression of NMDA receptors in spinal dorsal horn
X. Yang, H.-B. Yang, Q.-J. Xie, X.-H. Liu, X.-D. Hu (PR China) 162
Effects of pain- and analgesia-related manipulations on intracranial self-stimulation in rats: Further studies on pain-depressed behavior
G. Pereira Do Carmo, G.W. Stevenson, W.A. Carlezon, S.S. Negus (USA) 170
The c-kit signaling pathway is involved in the development of persistent pain
Y.-G. Sun, N.G. Gracias, J.K. Drobish, M.R. Vasko, R.W. Gereau, Z.-F. Chen (USA) 178
Differential regulation of TRP channels in a rat model of neuropathic pain
S. Staaf, S. Oerther, G. Lucas, J.P. Mattsson, P. Ernfors (Sweden, Brazil) 187
Changes in brain function and morphology in patients with recurring herpes simplex virus infections and chronic pain
N. Vartiainen, K. Kallio-Laine, Y. Hlushchuk, E. Kirveskari, M. Seppänen, H. Autti, V. Jousmäki, N. Forss, E. Kalso, R. Hari (Finland) 200
Fecal proteases from diarrheic-IBS and ulcerative colitis patients exert opposite effect on visceral sensitivity in mice
A. Annaházi, K. Gecse, M. Dabek, A. Ait-Belgnaoui, A. Rosztóczy, R. Róka, T. Molnár, V. Theodorou, T. Wittmann, L. Bueno, H. Eutamene (France, Hungary) 209

CLINICAL NOTE

Transdermal fentanyl in cachectic cancer patients
T. Heiskanen, S. Mätzke, S. Haakana, M. Gergov, E. Vuori, E. Kalso (Finland) 218

*An Editorial regarding this article can be found in this issue of *PAIN*®

Number 3 – August 2009

EDITORIALS

Personality and pain: Back to the four humours?
K. Tillisch (USA) 223
Oxaliplatin-induced painful neuropathy – Flicker of hope or hopeless pain?
M. Stengel, R. Baron (Germany) 225
Human dental pulp as a source of native functional nociceptor pharmacology
A. Billinton (UK) 227
Progressing towards acceptable treatment outcomes
K.E. Vowels, M.E. Robinson (UK, USA) 228

TOPICAL REVIEWS

A neurocognitive model of attention to pain: Behavioral and neuroimaging evidence
V. Legrain, S. Van Damme, C. Eccleston, K.D. Davis, D.A. Seminowicz, G. Crombez (Belgium, UK, Canada) 230
Palliative care: Where have we come from and where are we going?
M. Brooksbank (Australia) 233

RESEARCH PAPERS

Exploring relationships for visceral and somatic pain with autonomic control and personality*
P. Paine, J. Kishor, S.F. Worthen, L.J. Gregory, Q. Aziz (UK) 236
Thermal hyperalgesia as a marker of oxaliplatin neurotoxicity: A prospective quantified sensory assessment study*
N. Attal, D. Bouhassira, M. Gautron, J.N. Vaillant, E. Mitry, C. Lepère, P. Rougier, F. Guirimand (France) 245
Capsaicin-evoked iCGRP release from human dental pulp: A model system for the study of peripheral neuropeptide secretion in normal healthy tissue*
J.C. Fehrenbacher, X.X. Sun, E.E. Locke, M.A. Henry, K.M. Hargreaves (USA) 253

Prospective judgments of acceptable outcomes for pain, interference and activity: Patient-determined outcome criteria*
F.M. Thorne, S. Morley (UK) 262
Activation of TRPV1 and TRPA1 leads to muscle nociception and mechanical hyperalgesia
J.Y. Ro, J.-S. Lee, Y. Zhang (USA) 270
Post-junctional facilitation of Substance P signaling in a tibia fracture rat model of complex regional pain syndrome type I
T. Wei, W. Li, T.-Z. Guo, R. Zhao, L. Wang, D.J. Clark, A.L. Oaklander, M. Schmelz, W.S. Kingery (USA, Germany) 278
Experimental occlusal interference induces long-term masticatory muscle hyperalgesia in rats
Y. Cao, Q.-F. Xie, K. Li, A.R. Light, K.-Y. Fu (PR China, USA) 287
The β_3 subunit of the Na^+,K^+-ATPase mediates variable nociceptive sensitivity in the formalin test
M.L. LaCroix-Fralish, G. Mo, S.B. Smith, S.G. Sotocinal, J. Ritchie, J.-S. Austin, K. Melmed, A. Schorscher-Petcu, A.C. Laferriere, T.H. Lee, D. Romanovsky, G. Liao, M.A. Behlke, D.J. Clark, G. Peltz, P. Séguéla, M. Dobretsov, J.S. Mogil (Canada, USA) 294
The role of enhanced cutaneous IL-1β signaling in a rat tibia fracture model of complex regional pain syndrome
W. Li, I. Sabsovich, T.-Z. Guo, R. Zhao, W.S. Kingery, J.D. Clark (USA) 303
The effect of tactile discrimination training is enhanced when patients watch the reflected image of their unaffected limb during training
G.L. Moseley, K. Wiech (UK, Australia) 314
Paraventricular oxytocinergic hypothalamic prevention or interruption of long-term potentiation in dorsal horn nociceptive neurons: Electrophysiological and behavioral evidence
S. DeLaTorre, G. Rojas-Piloni, G. Martínez-Lorenzana, J. Rodríguez-Jiménez, L. Villanueva, M. Condés-Lara (Mexico, France) 320
Comparison of skin incision vs. skin plus deep tissue incision on ongoing pain and spontaneous activity in dorsal horn neurons
J. Xu, T.J. Brennan (USA) 329

LETTERS TO THE EDITOR

Childhood psychosocial stressors and adult onset arthritis: A comment on Von Korff et al.
E.G. Newton, L.R. Jewett, B.D. Thombs (Canada) 340
The authors' response
M. Von Korff, K.M. Scott (USA, New Zealand) 340
A comment on What is "normal" disability? An investigation of disability in the general population, Pain 142:36-41
M. Leonardi, S. Chatterji, A. Raggi, J.E. Bickenbach (Italy, Switzerland) 341
Answer to the comment on: What is "normal" disability? An investigation of disability in the general population
R. Mewes, W. Rief (Germany) 342
Why become more general when we can be more specific? Comment on Hollins et al. "Perceived intensity and unpleasantness of cutaneous and auditory stimuli: An evaluation of the generalized hypervigilance hypothesis" [Pain 2009;141:215–221], and on Rollman "Perspectives on hypervigilance" [Pain 2009;141:183–184]
S. Van Damme, G. Crombez, K. Wiech, V. Legrain, M.L. Peters, C. Eccleston (Belgium, UK, The Netherlands) 342
Response to the letter to the editor by Van Damme and Colleagues
M. Hollins, D. Harper, W. Maixner (USA) 343

CORRIGENDUM

Corrigendum to "Profiling of dynamically changed gene expression in dorsal root ganglia post peripheral nerve injury and a critical role of injury-induced glial fibrillary acidic protein in maintenance of pain behaviors" [Pain 143 (2009) 114–122]
D. Kim, K.W. Figueroa, K.-W. Li, A. Boroujerdi, T. Yolo, Z.D. Luo (USA) 345

Author Index to Volume 144 346

Subject Index to Volume 144 350

Contents to Volume 144 356

*An Editorial regarding this article can be found in this issue of *PAIN*®